

Cube

MASSIMILANO RAGGI



Cube

MASSIMILANO RAGGI




NOMAD | WIRED OUTDOOR

Cube adapts itself to every outdoor environment. Offered in both rechargeable battery and wired versions, this elegant lantern combines practicality and sophistication. The battery version introduces an innovative ignition system, while the charging process is facilitated by the removable battery body. Cube is available in total bronze or white finishes for a timeless aesthetic. IP65 and Marine Grade protection.

Cube si trasforma per l'ambiente esterno. Proposta sia in versione a batteria ricaricabile che cablata, questa elegante lanterna combina praticità e raffinatezza. La variante a batteria introduce un innovativo sistema di accensione, mentre la ricarica è agevolata dalla rimozione del corpo batteria. Cube è disponibile nelle finiture total bronzo o bianco per un'estetica senza tempo. Protezione IP65 e Marine Grade.

- P3 **Cube nomad mini**
- P4 **Cube nomad small**
- P5 **Cube nomad large**
- P6 **Cube wired small**
- P7 **Cube wired large**

LIGHT EFFECT | EFFETTO LUMINOSO




LIGHT SOURCE | FONTE LUMINOSA


220-240V · 110V | 1x3 W LED Module
 400 Lm | 2.700 K | CRI >90 | IP65

Autonomy | Autonomia: 10 hours | ore
 Life cycles | Cicli di vita: 600
 Charging time | Tempi di ricarica: 6/8 hours | ore
 USB cable type C supplied, power supply not supplied
 Cavo USB tipo C fornito, alimentatore non fornito (min 5V 2A)


FINISHES | FINITURE

METAL FRAME | STRUTTURA METALLICA

 Dark bronze
 Bronzo scuro

 White
 Bianco



PLEXIGLASS DIFFUSER | DIFFUSORE IN PLEXIGLASS

 Transparent ribbed
 Rigato trasparente

Packaging | Imballi

MINI	195x195xh.385mm [7.6"x7.6"xh.15.1"]
	2,5 kg [5.5 lbs]

LIGHT EFFECT | EFFETTO LUMINOSO



LIGHT SOURCE | FONTE LUMINOSA

220-240V · 110V | 1x3 W LED Module
 400 Lm | 2.700 K | CRI >90 | IP65

Autonomy | Autonomia: 10 hours | ore
 Life cycles | Cicli di vita: 600
 Charging time | Tempi di ricarica: 6/8 hours | ore
 USB cable type C supplied, power supply not supplied
 Cavo USB tipo C fornito, alimentatore non fornito (min 5V 2A)

FINISHES | FINITURE

METAL FRAME | STRUTTURA METALLICA

Dark bronze | White
 Bronzo scuro | Bianco



PLEXIGLASS DIFFUSER | DIFFUSORE IN PLEXIGLASS

Transparent ribbed
 Rigato trasparente

Packaging | Imballi

SMALL	355x355xh.855mm [13.9"x13.9"xh.33.6"]
	6 kg [13.2 lbs]

LIGHT EFFECT | EFFETTO LUMINOSO





LIGHT SOURCE | FONTE LUMINOSA

220-240V · 110V | 1x3 W LED Module
 400 Lm | 2.700 K | CRI >90 | IP65


Autonomy | Autonomia: 10 hours | ore
 Life cycles | Cicli di vita: 600
 Charging time | Tempi di ricarica: 6/8 hours | ore
 USB cable type C supplied, power supply not supplied
 Cavo USB tipo C fornito, alimentatore non fornito (min 5V 2A)

FINISHES | FINITURE

METAL FRAME | STRUTTURA METALLICA

-  Dark bronze
Bronzo scuro
-  White
Bianco



PLEXIGLASS DIFFUSER | DIFFUSORE IN PLEXIGLASS

-  Transparent ribbed
Rigato trasparente

Packaging | Imballi

LARGE	475x475xh.1205mm [18.7"x18.7"xh.47.4"]
	12 kg [26.4 lbs]

LIGHT EFFECT | EFFETTO LUMINOSO



LIGHT SOURCE | FONTE LUMINOSA

220-240V | 1x10 W E27
LED Light bulb | Lampadina LED | IP65

LIGHT SOURCE | FONTE LUMINOSA

110V | 1x10 W E26
LED Light bulb | Lampadina LED | IP65

DIMMING | DIMMERAZIONE


Compatible with dimmable LED bulbs
Compatibile con lampadine LED dimmerabili


CABLE | CAVO

Black cable | Cavo nero
L.2000mm [78.7"]
Supplied with IP68 connector for outdoor use
Cavo nero fornito con connettore IP68 per esterni


FINISHES | FINITURE

METAL FRAME | STRUTTURA METALLICA

 Dark bronze
Bronzo scuro

 White
Bianco



PLEXIGLASS DIFFUSER | DIFFUSORE IN PLEXIGLASS

 Transparent ribbed
Rigato trasparente

Packaging | Imballi

SMALL	355x355xh.855mm [13.9"x13.9"xh.33.6"]
	6 kg [13.2 lbs]

LIGHT EFFECT | EFFETTO LUMINOSO



LIGHT SOURCE | FONTE LUMINOSA

220-240V | 1x10 W E27
LED Light bulb | Lampadina LED | IP65

LIGHT SOURCE | FONTE LUMINOSA

110V | 1x10 W E26
LED Light bulb | Lampadina LED | IP65

DIMMING | DIMMERAZIONE



Compatible with dimmable LED bulbs
Compatibile con lampadine LED dimmerabili

CABLE | CAVO


Black cable | Cavo nero
L.2000mm [78.7"]
Supplied with IP68 connector for outdoor use
Cavo nero fornito con connettore IP68 per esterni

FINISHES | FINITURE

METAL FRAME | STRUTTURA METALLICA

-  Dark bronze
Bronzo scuro
-  White
Bianco

PLEXIGLASS DIFFUSER | DIFFUSORE IN PLEXIGLASS

-  Transparent ribbed
Rigato trasparente

Packaging | Imballi

LARGE	475x475xh.1205mm [18.7"x18.7"xh.47.4"]
	12 kg [26.4 lbs]



CONTARDI LIGHTING Srl

ITALY HEADQUARTERS
contardi-italia.com

CONTARDI USA Inc

USA BRANCH
contardi-usa.com

Copyright and/or design rights subsist in this drawing. No part of this drawing may be reproduced in any material form (including photocopying or storing in any medium electronic means, whether or not intentionally and whether or not as part or a larger publication) without the express permission of the copyright owner, Contardi Lighting S.r.l.. Further and without prejudice to the above, this drawing and all information relating thereto is confidential, and shall not be communicated to a third party without the consent of Contardi lighting srl. Contardi Lighting Srl asserts all rights to be identified as the author of the work and otherwise.

WARNING: The doing of any unauthorised act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution.