

Bloom

DAAA HAUS



Bloom

DAAA HAUS



TINY



LONG


Bloom brings the elegance of a blossoming flower to the garden. With fluid lines inspired by the calla lily, this outdoor collection by DAAA Haus is designed to blend seamlessly with nature. The silicone diffuser softens the light, creating a warm, theatrical atmosphere in any open-air space, whether private or contract, enhancing every detail.

Bloom porta nei giardini l'eleganza di un fiore che sboccia. Con linee fluide ispirate alla calla, la collezione outdoor firmata DAAA Haus è pensata per fondersi con la natura.



Il diffusore in silicone ammorbidisce la luce, creando atmosfere avvolgenti e scenografiche in ogni spazio open air, sia privato che contract, valorizzando ogni dettaglio.

-
- P3 **Bloom tiny without anchoring**
 - P4 **Bloom tiny with anchoring**
 - P5 **Bloom long without anchoring**
 - P6 **Bloom long with anchoring**

FLOOR DETAILS / CARATTERISTICHE LAMPADA A PIANTANA
BLOOM TINY WITHOUT ANCHORING




LIGHT EFFECT / EFFETTO LUMINOSO



**FIXING ACCESSORIES FOR BLOOM
 WITH REMOTE DRIVER /
 ACCESSORI PER FISSAGGIO BLOOM
 CON DRIVER REMOTO**



Floor anchoring
 Fissaggio a pavimento



Ground anchoring
 Picchetto per terreno

LIGHT SOURCE / FONTE LUMINOSA

220-240V · 110V | 1x3 W LED module
 500 Lm | 2.700 K | CRI >90

FINISHES / FINITURE

Frame / Struttura

Dark green
 Verde scuro

Diffuser / Diffusore


White silicon
 Silicone bianco

CABLE / CAVO


2000mm [79.7"] standard

Black
 Nero





LIGHT EFFECT / EFFETTO LUMINOSO



LIGHT SOURCE / FONTE LUMINOSA

220-240V · 110V | 1x3 W LED module
500 Lm | 2.700 K | CRI >90

FINISHES / FINITURE

Frame / Struttura

 Dark green
Verde scuro

Diffuser / Diffusore



 White silicon
Silicone bianco

CABLE / CAVO

2000mm [79.7"] standard

 Black
Nero

LIGHT EFFECT / EFFETTO LUMINOSO



FIXING ACCESSORIES FOR BLOOM
WITH REMOTE DRIVER /
ACCESSORI PER FISSAGGIO BLOOM
CON DRIVER REMOTO



Floor anchoring
Fissaggio a pavimento



Ground anchoring
Picchetto per terreno

LIGHT SOURCE / FONTE LUMINOSA

220-240V · 110V | 1x3 W LED module
500 Lm | 2.700 K | CRI >90

FINISHES / FINITURE

Frame / Struttura

Dark green
Verde scuro


Diffuser / Diffusore

White silicon
Silicone bianco


CABLE / CAVO

2000mm [79.7"] standard

Black
Nero



LIGHT EFFECT / EFFETTO LUMINOSO



LIGHT SOURCE / FONTE LUMINOSA

220-240V · 110V | 1x3 W LED module
500 Lm | 2.700 K | CRI >90

FINISHES / FINITURE

Frame / Struttura

 Dark green
Verde scuro

Diffuser / Diffusore

 White silicon
Silicone bianco

CABLE / CAVO

2000mm [79.7"] standard

 Black
Nero



CONTARDI LIGHTING Srl

ITALY HEADQUARTERS
contardi-italia.com

CONTARDI USA Inc

USA BRANCH
contardi-usa.com

Copyright and/or design rights subsist in this drawing. No part of this drawing may be reproduced in any material form (including photocopying or storing in any medium electronic means, whether or not intentionally and whether or not as part or a larger publication) without the express permission of the copyright owner, Contardi Lighting S.r.l.. Further and without prejudice to the above, this drawing and all information relating thereto is confidential, and shall not be communicated to a third party without the consent of Contardi lighting srl. Contardi Lighting Srl asserts all rights to be identified as the author of the work and otherwise.

WARNING: The doing of any unauthorised act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution.